ELSEVIER

Volume 283 Numbers 1–2, 1 February 1999

Journal of ALLOYS AND COMPOUNDS

Contents

Physics

Temperature dependence of the fundamental absorption edge in $CuGa_3Se_5$ 1
G. Marín, C. Rincón, S.M. Wasim, G. Sánchez Pérez, I. Molina Molina (Mérida, Venezuela)

Study of the electronic structure of Au–V bimetallics using X-ray photoelectron spectroscopy (XPS) and X-ray absorption near-edge structure (XANES) 5
S.J. Naftel, A. Bzowski, T.K. Sham (London, Canada)

Antiferromagnetic intermetallic Tb_2AgIn_3 12
J.P. Semitelou, J. Siouris, J.K. Yakinthos (Xanthi, Greece), W. Schäfer (Bonn, Germany), D. Schmitt (Grenoble, France)

Magnetic and transport properties of NpNiSn 16
P. Javorský, L. Havela (Prague, Czech Republic), F. Wastin, J.C. Griveau, E. Bednarczyk, J. Rebizant (Karlsruhe, Germany), J.P. Sanchez, P. Vulliet (Grenoble, France)

Mechanically induced structural and magnetic property changes of GdMg 21
I.W. Modder, H. Bakker (Amsterdam, The Netherlands)

The defect structure of $Y_{0.915}Ni_{4.12}B$ related to the superstructure of YNi_4B 26
A. Belger, G. Zahn, B. Wehner, P. Paufler, G. Graw, G. Behr (Dresden, Germany)

Mechanical and magnetic relaxation of H and D in dilute PdGdFe 34
M. Ege, M. Hirscher, H. Kronmüller (Stuttgart, Germany)

Crystal and magnetic structure of the binary uranium germanide U_3Ge_5 41
P. Boulet, M. Potel (Rennes, France), G. André (Gif-sur-Yvette, France), P. Rogl (Wien, Austria), H. Noël (Rennes, France)

The magnetocrystalline anisotropy in $YTi(Fe,Co)_{11}$ single crystals 45
I.S. Tereshina, S.A. Nikitin, I.V. Telegina, V.V. Zubenko (Moscow, Russia), Yu.G. Pastushenkov, K.P. Skokov (Tver, Russia)

Phase equilibria and magnetic studies in the ternary system U–Ag–Sn 49
P. Boulet, M. Vybornov (Rennes, France), A. Simopoulos, A. Kostikas (Athens, Greece), H. Noël (Rennes, France), P. Rogl (Vienna, Austria)

High rare earth sublattice ordering temperatures in new CeFeSi-type RTiGe (R≡La–Nd, Sm) compounds 54
R. Welter, A. Vernière, G. Venturini, B. Malaman (Vandoeuvre les Nancy, France)

Judd–Ofelt intensity parameters of trivalent lanthanide ions in a $NaPO_3$–BaF_2 based fluorophosphate glass 59
R. Van Deun, K. Binnemans, C. Görller-Walrand (Heverlee, Belgium), J.L. Adam (Rennes, France)

Magnetic coupling in amorphous $Fe_{100-x}Er_x$ films 66
J. Benjelloun, H. Oukris, H. Lassri (Casablanca, Morocco), M. Baran (Warsaw, Poland), R. Krishnan (Versailles, France), M. Omri, M. Ayadi (Casablanca, Morocco)

Isotope effects of the mechanical relaxation of H and D in dilute PdY and PdGd alloys 71
M. Ege, H. Kronmüller (Stuttgart, Germany)

Crystallization of sputter-deposited giant-magnetostrictive TbDyFeM (M=Mo, Zr) films and multilayers 78
B. Winzek, M. Hirscher, H. Kronmüller (Stuttgart, Germany)

Structure and magnetic properties of $Ce_2Co_{17-x}Al_x$ compounds 83
S.J. Hu, X.Z. Wei, D.C. Zeng (Amsterdam, The Netherlands and Guangzhou, P.R. China), X.C. Kou (Amsterdam, The Netherlands), Z.Y. Liu (Guangzhou, P.R. China), E. Brück, J.C.P. Klaasse, F.R. de Boer, K.H.J. Buschow (Amsterdam, The Netherlands)

Chemistry

Point defects in the bimetallic sulfides MCr_2S_4 (M=V, Fe or Mn): Comparison with $CuCrS_2$ and the corresponding monometallic sulfides 88
My.A. Boutbila, J. Rasneur (Amiens, France and Marrakech, Maroc), M. El Aatmani (Marrakech, Maroc)

Elsevier Science S.A.

XPS and magnetic measurements for perovskite-type $HoRh_3B$ 91
T. Shishido, M. Oku, T. Sasaki (Miyagi, Japan), H. Iwasaki (Ishikawa, Japan), H. Kishi (Tochigi, Japan), H. Horiuchi (Aomori, Japan), T. Fukuda (Miyagi, Japan)

Luminescence of Eu^{3+}, Tb^{3+} and Tm^{3+} in $SrLaGa_3O_7$ 95
S.-i. Kubota, M. Izumi, H. Yamane, M. Shimada (Miyagi, Japan)

Synthesis of high surface area $LaMnO_{3+d}$ by a polymerizable complex method 102
M. Kakihana, M. Arima, M. Yoshimura (Yokohama, Japan), N. Ikeda, Y. Sugitani (Hiratsuka, Japan)

Hydrogenation of Zr_6MeX_2 intermetallic compounds (Me=Fe, Co, Ni; X=Al, Ga, Sn): Crystallographic and theoretical analysis 106
I.Yu. Zavaliy (L'viv, Ukraine), V.K. Pecharsky, G.J. Miller (Ames, IA, USA), L.G. Akselrud (L'viv, Ukraine)

Synthesis of $SrFeO_{2.5}$ from mechanically activated reactants 117
M. Schmidt, W.A. Kaczmarek (Canberra, Australia)

Copper sublattice ordering in layered $CuMP_2Se_6$ (M=In, Cr) 122
X. Bourdon (Nantes, France), V. Maisonneuve (Le Mans, France), V.B. Cajipe, C. Payen (Nantes, France), J.E. Fischer (Philadelphia, PA, USA)

Discrete-variational Dirac–Slater calculation on valence band XPS for UC 128
M. Kurihara, M. Hirata (Ibaraki, Japan), R. Sekine (Shizuoka, Japan), J. Onoe (Saitama, Japan), H. Nakamatsu, T. Mukoyama, H. Adachi (Kyoto, Japan)

Molten metal flux growth and characterizations of a new compound $PrRh_{4.8}B_2$ single crystals 133
T. Shishido (Miyagi, Japan), I. Higashi (Chiba, Japan), H. Yamauchi (Miyagi, Japan), S. Okada (Tokyo, Japan), K. Kudou (Yokohama, Japan), M. Oku (Miyagi, Japan), H. Horiuchi (Aomori, Japan), T. Fukuda (Miyagi, Japan)

Electron microscopy studies of the long-range ordering in α, β and γ phases of $BiLa_xSr_{3-x}O_{5.5-y}$ 139
M. Wołcyrz, L. Kępiński (Wrocław, Poland)

Hydriding and dehydriding kinetics of Dy_2Co_7 hydride 146
L. Ming, A.J. Goudy (West Chester, PA, USA)

Metallurgy

Thermodynamics of the Ni–H system 151
K. Zeng, T. Klassen, W. Oelerich, R. Bormann (Geesthacht, Germany)

Crystal structure of YGe_3, $YGe_{1.9}$ and a novel Y_3Ge_4 compound 162
N.M. Belyavina, V.Ya. Markiv, M.V. Speka (Kyiv, Ukraine)

Hexagonal superstructures in the Zn–Mg–rare-earth alloys 169
E. Abe, H. Takakura, A. Singh, A.P. Tsai (Tsukuba, Japan)

Thermodynamic properties of Pd–Y and Pd–Gd intermetallic phases 173
R.A. Alqasmi, S. Paasch, H.-J. Schaller (Kiel, Germany)

The normalized pressure dependence method for the evaluation of kinetic rates of metal hydride formation/decomposition . . . 178
M. Ron (Haifa, Israel)

Experimental analysis of the intermediary phases AlB_2, AlB_{12} and TiB_2 in the Al–B and Al–Ti–B systems 192
J. Fjellstedt, A.E.W. Jarfors, L. Svendsen (Stockholm, Sweden)

Direct measurement of the concentration fluctuations in liquid Bi–Zn alloys 198
S. Karlhuber, A. Mikula (Vienna, Austria), R.N. Singh, F. Sommer (Stuttgart, Germany)

Phase relations in the Fe-rich region of the Nd–Fe–V system at 1323 K 203
G.Y. Huo (Beijing and Baoding, P.R. China), Z.Y. Qiao, G.H. Rao, X.L. Chen (Beijing, P.R. China), J.K. Liang (Beijing and Shenyang, P.R. China), F. Huang (Beijing, P.R. China)

Thermodynamic investigation of ternary Pt–Pd–Ge alloys by Knudsen effusion combined with mass spectrometry 208
R. Chastel (Marseille, France), R. Lbibb (Kénitra, Morocco), R. Castanet (Marseille, France)

Thermodynamic analysis of the hydriding process of Mg–Ni alloys 213
K. Zeng, T. Klassen, W. Oelerich, R. Bormann (Geesthacht, Germany)

Formation of a face-centered-cubic metastable phase in the Fe–Nb system by solid-state reaction 225
C. Lin, J.B. Liu, G.W. Yang, B.X. Liu (Beijing, P.R. China)

Hardening response and tempering behaviour of electron beam surface melted Ti–8.5Si alloy 231
H. Dong, X.Y. Li, T. Bell (Birmingham, UK)

High-temperature nitridation of Nb–Ti alloys in nitrogen 241
V. Buscaglia, A. Martinelli, R. Musenich (Genoa, Italy), W. Mayr, W. Lengauer (Vienna, Austria)

Growth of ordered lamellar precipitates during nitridation of Nb–10 at.% Ti at 1300°C 260
V. Buscaglia, A. Martinelli, C. Bottino, R. Musenich (Genoa, Italy)

Solidification behaviour of Fe–Gd–Mo alloys 265
M. Zinkevitch, N. Mattern, H. Wendrock, G. Behr, K. Wetzig (Dresden, Germany)

Materials Science

The use of metal hydrides in powder blending for the production of NdFeB-type magnets 282
R.S. Mottram, A. Kianvash, I.R. Harris (Birmingham, UK)

Microstructural evolution of $Sm(Co_{1-x}Cu_x)_5$ ($0<x<0.5$) alloys 289
E. Estévez-Rams, A. Pentón, S. Novo (Ciudad Habana, Cuba), J. Fidler, J.C. Téllez-Blanco, R. Grössinger (Wien, Austria)

Influence of M=Al, Ga and Si on microstructure and HDDR-processing of $Sm_2(Fe,M)_{17}$ and magnetic properties of their nitrides and carbides 296
M. Kubis, O. Gutfleisch, B. Gebel, K.-H. Müller (Dresden, Germany), I.R. Harris (Birmingham, UK), L. Schultz (Dresden, Germany)

Synthesis of Na_3AlH_6 and Na_2LiAlH_6 by mechanical alloying 304
J. Huot, S. Boily (Varennes, Canada), V. Güther (Nuremberg, Germany), R. Schulz (Varennes, Canada)

Magnetic properties of nanostructured $Nd_2(Fe,Co,Cr)_{14}B/\alpha$-Fe magnets 307
J. Jakubowicz, A. Szlaferek, M. Jurczyk (Poznan, Poland)

Utilization of a thermogravimetric technique to determine low solubilities of gases in alloys: application to Fe–N and Ni–N alloys between 700 and 1000°C 311
D. Bouchard (Boucherville, Canada), J.S. Kirkaldy (Hamilton, Canada)

Structural and magnetic properties of $Nd_2Fe_{14-x}Si_xB$ compounds and related hydrides 320
C. Chacon, O. Isnard, S. Miraglia (Grenoble, France)

Transmission electron microscopy study of structural disorder in $Sm(Co_{0.5}Cu_{0.5})_5$ alloy 327
E. Estévez-Rams (Wien, Austria and Ciudad Habana, Cuba), J. Fidler (Wien, Austria), A. Pentón (Ciudad Habana, Cuba), J.C. Téllez-Blanco, R.S. Turtelli, R. Grössinger (Wien, Austria)

Author Index of Volume 283 331

Subject Index of Volume 283 333

CONTENTS DIRECT

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. The quickest way to register for **ContentsDirect** is via the World Wide Web at: **www.elsevier.nl/locate/ContentsDirect**
If you don't have access to the WWW you can register for this service by sending an e-mail message to cdsubs@elsevier.co.uk specifying the title of the publication you wish to register for.
The tables of contents are also available on the Elsevier Science website at: www.elsevier.nl or www.elsevier-.com or www.elsevier.co.jp